
Wagner, Christine[Wagner.Christine@epa.gov]  Cc: Nonresponsive based on revised scope @westonsolutions.com]; Nonresponsive based on revised scope @WestonSolutions.com];
From: Nonresponsive based on revised scope [@epa.gov]; Graybill, Eric[graybill.eric@epa.gov]  From: Nonresponsive based on revised scope [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP]  FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=29594540F9864AD2AB18944AF0A52E05-{ Sent: Tue 5/19/2020 5:12:22 PM (UTC)  Subject: R35727 - Validated Electronic Data for Shiloh Church Road  R35727 C0B37 LTR.pdf  R35727 C0B37 DVR.pdf
R35727_C0B37_SSR.pdf
Christine Wagner US EPA Region 3 1650 Arch Street Philadelphia, PA 19103-2029
Dear Christine,
Attached to this message you will find electronic files containing the validation report and validated data for the Shiloh Church Road site, Case # R35727, SDG C0B37. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).
Please contact ESAT's RPO, Eric Graybill by phone at 410-305-2665 or e-mail at <a href="mailto:Graybill.Eric@epa.gov">Graybill.Eric@epa.gov</a> if additional assistance is needed.
TO # 0002 TDF # 0120053
Nonresponsive based on revised scope   Chemistry Data Manager    Nonresponsive based on revised scope   @epa.gov
i Nonresponsive based on revised scope [CDEMISTRY Data Manager]; Nonresponsive based offrevised scope i(@epa.gov



ICF | 701 Mapes Road, Fort Meade, MD 20755-5350